Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

REGULATION III - CONTROL OF AIR CONTAMINANTS

RULE 310.01

FUGITIVE DUST FROM

OPEN AREAS, VACANT LOTS, UNPAVED PARKING LOTS, AND UNPAVED ROADWAYS

INDEX

SECTION 100 - GENERAL		
	101	PURPOSE
	102	APPLICABILITY
SECTION 200 - DEFINITIONS		
	201	BULK MATERIAL
	202	CHEMICAL/ORGANIC STABILIZER
	203	COMMERCIAL FEEDLOTS AND/OR COMMERCIAL LIVESTOCK AREAS
204	<u>203</u>	CONTROL MEASURE
205	<u>204</u>	DISTURBED SURFACE AREA
	<u>205</u>	DUST GENERATING OPERATION
	206	DUST SUPPRESSANT
	<u>207</u>	FEEDLOTS AND/OR LIVESTOCK AREAS
207	<u>208</u>	FUGITIVE DUST
208	<u>209</u>	MOTOR VEHICLE
209	<u>210</u>	NORMAL FARM CULTURAL PRACTICE
210	<u>211</u>	OFF-ROAD VEHICLE
211	<u>212</u>	OPEN AREAS AND VACANT LOTS
212	<u>213</u>	OWNER AND/OR OPERATOR
213	<u>214</u>	PAVE
214	<u>215</u>	PUBLIC ROADWAYS
215	<u>216</u>	UNPAVED PARKING LOT
216	<u>217</u>	UNPAVED ROADWAY (INCLUDING ALLEYS)
217	<u>218</u>	VACANT LOT
SECTI	ON 300	- STANDARDS
SECTI	301	VEHICLE USE IN OPEN AREAS AND VACANT LOTS
	201	I DITICLE OUD IN OI DIVANDAND VACANT LOTO

OPEN AREAS AND VACANT LOTS

UNPAVED PARKING LOTS

302

303

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

304 UNPAVED ROADWAYS (INCLUDING ALLEYS)
305 COMMERCIAL FEEDLOTS AND/OR COMMERCIAL LIVESTOCK AREAS
306 EROSION-CAUSED DEPOSITION OF BULK MATERIALS ONTO PAVED SURFACES
307 EASEMENTS, RIGHTS-OF-WAY, AND ACCESS ROADS FOR UTILITIES (ELECTRICITY,

SECTION 400 - ADMINISTRATIVE REQUIREMENTS (NOT APPLICABLE)

NATURAL GAS, OIL, WATER, AND GAS TRANSMISSION)

SECTION 500 - MONITORING AND RECORDS

- 501 STABILIZATION OBSERVATIONS
- 502 RECORDKEEPING
- 503 RECORDS RETENTION

Adopted 06/16/99 Revised 02/16/00

MARICOPA COUNTY AIR POLLUTION CONTROL REGULATIONS

REGULATION III - CONTROL OF AIR CONTAMINANTS

RULE 310.01

FUGITIVE DUST FROM

OPEN AREAS, VACANT LOTS, UNPAVED PARKING LOTS, AND UNPAVED ROADWAYS

SECTION 100 - GENERAL

- 101 PURPOSE: To limit the emission of particulate matter into the ambient air from open areas, vacant lots, unpaved parking lots, and unpaved roadways which are not regulated by Rule 310 (Fugitive Dust Sources) of these rules and which do not require a permit nor a Dust Control Plan. The effect of this rule shall be to minimize the amount of fine particulate matter (PM₁₀) entrained into the ambient air as a result of the impact of human activities by requiring measures to prevent, reduce, or mitigate particulate matter emissions.
- 102 **APPLICABILITY:** The provisions of this rule shall apply to open areas, vacant lots, unpaved parking lots, and unpaved roadways which are not regulated by Rule 310 (Fugitive Dust Sources) of these rules and which do not require a permit nor a Dust Control Plan. In addition, the provisions of this rule shall apply to any open area or vacant lot that is not defined as agricultural land and is not used for agricultural purposes according to Arizona Revised Statutes (ARS) §42-12151 and ARS §42-12152. The provisions of this rule shall not apply to normal farm cultural practices according to ARS §49-457 and ARS §49-504.4.
- SECTION 200 DEFINITIONS: For the purpose of this rule, the following definitions shall apply. See Rule 100 (General Provisions And Definitions) of these rules for definitions of terms that are used but not specifically defined in this rule. See Rule 100 (General Provisions And Definitions) of these rules for definitions of terms that are used but not specifically defined in this rule. For the purpose of this rule, the following definitions shall apply:
 - 201 BULK MATERIAL - Any material, including, but not limited to, earth, rock, silt, sediment, sand, gravel, soil, fill, aggregate less than 2 inches in length or diameter (i.e., aggregate base course (ABC)),

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

dirt, mud, demolition debris, cotton, trash, cinders, pumice, saw dust, feeds, grains, fertilizers, <u>fluff</u> (from shredders), and dry concrete, that are capable of producing fugitive dust.

- 202 CHEMICAL/ORGANIC STABILIZER Any non-toxic chemical or organic dust suppressant, other than water, which meets any specifications, criteria, or tests required by any Federal, State, or local water agency and is not prohibited for use by any applicable law, rule, or regulation.
- 203 COMMERCIAL FEEDLOTS AND/OR COMMERCIAL LIVESTOCK AREAS Any operation directly related to feeding animals, displaying animals, racing animals, exercising animals, and/or for any other such activity, for the primary purpose of livelihood.
- 203 CONTROL MEASURE A technique, practice, or procedure used to prevent or minimize the generation, emission, entrainment, suspension, and/or airborne transport of fugitive dust.
- 204 DISTURBED SURFACE AREA A portion of the earth's surface (or material placed thereupon) which has been physically moved, uncovered, destabilized, or otherwise modified from its undisturbed native condition, thereby increasing the potential for the emission of fugitive dust. For the purpose of this rule, an area is considered to be a disturbed surface area until the activity that caused the disturbance has been completed and the disturbed surface area meets the standards described in Section 501 Section 300 of this rule, as applicable.
 - <u>DUST GENERATING OPERATION</u> Any activity capable of generating fugitive dust, including but not limited to, land clearing, earthmoving, weed abatement by discing or blading, excavating, construction, demolition, bulk material handling, storage and/or transporting operations, vehicle use and movement, the operation of any outdoor equipment, or unpaved parking lots. For the purpose of this rule, landscape maintenance and playing on or maintaining a field used for non-motorized sports shall not be considered a dust generating operation. However, landscape maintenance shall not include grading, trenching, or any other mechanized surface disturbing activities performed to establish initial landscapes or to redesign existing landscapes.
 - **DUST SUPPRESSANT** Water, hygroscopic material, solution of water and chemical surfactant, foam, non-toxic chemical stabilizer, or any other dust palliative, which is not prohibited for ground surface application by the Environmental Protection Agency (EPA) or the Arizona Department of Environmental Quality (ADEQ), or any applicable law, rule, or regulation, as a treatment material for reducing fugitive dust emissions.

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

- **207 FEEDLOTS AND/OR LIVESTOCK AREAS** Any operation directly related to feeding animals, displaying animals, racing animals, exercising animals, and/or for any other such activity.
- 208 FUGITIVE DUST The particulate matter, which is not collected by a capture system, which that is entrained in the ambient air and which is caused from human and/or natural activities, such as, but not limited to, movement of soil, vehicles, equipment, blasting, and wind. For the purpose of this rule, fugitive dust does not include particulate matter emitted directly from the exhaust of motor vehicles and other internal combustion engines, from portable brazing, soldering, or welding equipment, and from piledrivers, and does not include emissions from process and combustion sources that are subject to other rules in Regulation III (Control Of Air Contaminants) of these rules.
- 208 209 MOTOR VEHICLE A self-propelled vehicle for use on the public roads and highways of the State of Arizona and required to be registered under the Arizona State Uniform Motor Vehicle Act, including any non-motorized attachments, such as but not limited to, trailers or other conveyances which are connected to or propelled by the actual motorized portion of the vehicle.
- 209 210 NORMAL FARM CULTURAL PRACTICE All activities by the owner, lessee, agent, independent contractor, and/or supplier conducted on any facility for the production of crops and/or nursery plants. Disturbances of the field surface caused by turning under stalks, tilling, leveling, planting, fertilizing, or harvesting are included in this definition.
- 211 OFF-ROAD VEHICLE Any self-propelled conveyance specifically designed for off-road use, including but not limited to, off-road or all-terrain equipment, trucks, cars, motorcycles, motorbikes, or motorbuggies.
- 211 212 OPEN AREAS AND VACANT LOTS Any of the following described in subsection 211.1 Section 212.1 through subsection 211.4 Section 212.4 of this rule. For the purpose of this rule, vacant portions of residential or commercial lots that are immediately adjacent and owned and/or operated by the same individual or entity are considered one vacant open area or vacant lot.
- 211.1 An unsubdivided or undeveloped tract of land adjoining a developed or a partially developed residential, industrial, institutional, governmental, or commercial area.
- 211.2 A subdivided residential, industrial, institutional, governmental, or commercial lot, which that contains no approved or permitted buildings or structures of a temporary or permanent nature.

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

- 211.3 A partially developed residential, industrial, institutional, governmental, or commercial lot.
- $\frac{211.4}{211.4}$ A tract of land, in the $\frac{PM_{10}}{PM_{10}}$ nonattainment area, adjoining agricultural property.
- 212 213 OWNER AND/OR OPERATOR Any person who owns, leases, operates, controls, or supervises a fugitive dust source generating operation subject to the requirements of this rule.
- 213 214 PAVE To apply and maintain asphalt, concrete, or other similar material to a roadway surface (i.e., asphaltic concrete, concrete pavement, chip seal, or rubberized asphalt).
 - PM₁₀ NONATTAINMENT AREA An area designated by the EPA as exceeding national ambient air quality standards based upon data collected thru air quality monitoring. Maricopa County does not meet the national ambient air quality standards for PM₁₀. Consequently, Maricopa County is considered a nonattainment area for PM10. The geographical boundary of Maricopa County's PM₁₀ nonattainment area is as follows: Salt River Mountains on the south, Phoenix Mountains on the northwest, Estrella Mountains on the southwest, White Tank Mountains on the west, and Superstition Mountains on the east. Maricopa County's PM₁₀ nonattainment area includes the following cities: Surprise, Peoria, Glendale, Phoenix, Scottsdale, Tempe, Mesa, Gilbert, Chandler, Avondale, Buckeye, and Goodyear.
- 214 216 PUBLIC ROADWAYS Any roadways that are open to public travel.
- 215 UNPAVED PARKING LOT Any area larger than 5,000 square feet that is not paved and that is used for parking, maneuvering, or storing motor vehicles.
- 218 UNPAVED ROADWAY (INCLUDING ALLEYS) A road that is not paved and that is owned by Federal, State, county, municipal, or other governmental or quasi-governmental agencies. For the purpose of this rule, an unpaved roadway (including alleys) is not a horse trail, hiking path, bicycle path, or other similar path used exclusively for purposes other than travel by motor vehicles.
- 217 219 VACANT LOT The definition of vacant lot is included in Section 211 Section 212 (Definition Of Open Areas And Vacant Lots) of this rule.

SECTION 300 - STANDARDS

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

VEHICLE USE IN OPEN AREAS AND VACANT LOTS: If open areas and vacant lots are 0.10 acre or larger and have a cumulative of 500 square feet or more that are driven over and/or used by motor vehicles and/or off-road vehicles, then the owner and/or operator of such open areas and vacant lots shall implement one of the control measures described in subsection Section 301.1 of this rule within 60 calendar days following the initial discovery of vehicle use on open areas and vacant lots. Within 60 calendar days following the initial discovery of vehicle use on open areas and vacant lots, the owner and/or operator of such open areas and vacant lots shall provide in writing to the Control Officer a description and date of the control measure(s) to be implemented to prevent such vehicle use on open areas and vacant lots. For the purpose of this rule, such control measures measure(s) shall be considered effectively implemented when the open areas and vacant lots meet one of the stabilization limitations described in subsection Section 301.2 of this rule. If the chosen control measure proves to be ineffective, then the owner and/or operator shall implement as a contingency control measure another one of the control measures described in Section 301.1 of this rule. Use of or parking on open areas and vacant lots by the owner and/or operator of such open areas and vacant lots and/or landscape maintenance of such open areas and vacant lots shall not be considered vehicle use in open areas and vacant lots. For the purpose of this rule, landscape maintenance does not include grading, trenching, nor any other mechanized surface disturbing activities performed to establish initial landscapes or to redesign existing landscapes.

301.1 Control Measures:

301

- a. Prevent motor vehicle and/or off-road vehicle trespassing, parking, and/or access, by installing barriers, curbs, fences, gates, posts, signs, shrubs, trees, or other effective control measures: one or a combination of the control measures described in Section 301.1(a) of this rule. Once vehicular traffic has been restricted from an open area or a vacant lot, such open area or vacant lot is no longer subject to the requirements of Section 301 of this rule, but rather such open area and vacant lot is subject to the requirements of Section 302 (Open Areas And Vacant Lots) of this rule.
 - <u>1.</u> Barriers;
 - **2.** Curbs;
 - 3. Fences:

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

- **4.** Gates;
- <u>5.</u> Posts;
- Signs written in English and Spanish and, including but not limited to, a reference to Arizona Revised Statutes (A.R.S.) §13-1502-A1;
- 7. Shrubs:
- 8. Trees; or
- <u>**9.**</u> Other effective control measure.
- b. Uniformly apply and maintain surface gravel or chemical/organic stabilizers to all areas disturbed by motor vehicles and/or off-road vehicles in compliance with one of the stabilization limitations described in subsection Section 301.2 of this rule.
- c. Apply and maintain an alternative control measure approved in writing by the Control Officer and the Administrator of the Environmental Protection Agency (EPA) EPA.

301.2 Stabilization Limitations:

- a. A visible crust shall be implemented, as determined by Appendix C, Section 2.3 (Test Methods For Stabilization-Visible Crust Determination) (The Drop Ball/Steel Ball Test) of these rules; or
- A threshold friction velocity (TFV) corrected for non-erodible elements of 100 cm/second or higher shall be implemented, as determined by Appendix C, Section 2.4 (Test Methods For Stabilization-Determination Of Threshold Friction Velocity (TFV)) (Sieving Field Procedure) of these rules; or
- c. Flat vegetative cover (i.e., attached (rooted) vegetation or unattached vegetative debris lying on the surface with a predominant horizontal orientation that is not subject to movement by wind) that is equal to at least 50% shall be

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

implemented, as determined by Appendix C, Section 2.5 (Test Methods For Stabilization-Determination Of Flat Vegetative Cover) of these rules; or

- d. Standing vegetative cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) that is equal to or greater than 30% shall be implemented, as determined by Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules; or
- e. Standing vegetative cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) that is equal to or greater than 10% and where the threshold friction velocity is equal to or greater than 43 cm/second when corrected for non-erodible elements shall be implemented, as determined by Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules; or
- A percent cover that is equal to or greater than 10% for non-erodible elements shall be implemented, as determined by Appendix C, Section 2.7 (Test Methods For Stabilization-Rock Test Method) of these rules; or
- g. An alternative test method approved in writing by the Control Officer and the Administrator of the Environmental Protection Agency (EPA) EPA shall be implemented.
- OPEN AREAS AND VACANT LOTS: If open areas and vacant lots have 0.5 acre or more of disturbed surface area and remain unoccupied, unused, vacant, or undeveloped for more than 15 days, then the owner and/or operator of such open areas and vacant lots shall implement one of the control measures described in subsection Section 302.1 of this rule within 60 calendar days following the initial discovery of the disturbance on the open areas and vacant lots. For the purpose of this rule, such control measures measure shall be considered effectively implemented when the open areas and vacant lots meet one of the stabilization limitations described in subsection Section 302.2 of this rule. If the chosen control measure proves to be ineffective, then the owner and/or operator shall implement as a contingency control measure another one of the control measures described in Section 302.1 of this rule. Should an open area, vacant lot, and/or disturbed surface area on which no activity is occurring contain more than one type of disturbance, soil, vegetation, or other characteristics that are visibly distinguishable, then the owner and/or operator shall test each representative surface separately for stability, in an area that represents a random portion of the overall disturbed conditions of the site, according to the

appropriate test methods in Appendix C of these rules and include or eliminate such area from the total size assessment of disturbed surface area(s) depending on test method results.

302.1 **Control Measures:**

- Establish vegetative ground cover on all disturbed surface areas within 60 a. calendar days following the initial discovery of the disturbance. Such control measure(s) must be maintained and reapplied, if necessary, until the disturbed surface areas are stabilized, in compliance with one of the stabilization limitations described in subsection Section 302.2 of this rule. Stabilization shall be achieved, per this control measure, within eight months after the control measure has been implemented.
- b. Apply a dust suppressant to all disturbed surface areas, in compliance with one of the stabilization limitations described in subsection Section 302.2 of this rule.
- Restore all disturbed surface areas within 60 calendar days following the initial c. discovery of the disturbance, such that the vegetative ground cover and soil characteristics are similar to adjacent or nearby undisturbed native conditions. Such control measure(s) must be maintained and reapplied, if necessary, until the disturbed surface areas are stabilized, in compliance with one of the stabilization limitations described in subsection Section 302.2 of this rule. Stabilization shall be achieved, per this such control measure, within eight months after the such control measure has been implemented.
- d. Uniformly apply and maintain surface gravel, in compliance with one of the stabilization limitations described in subsection Section 302.2 of this rule.
- Apply and maintain an alternative control measure approved in writing by the e. Control Officer and the Administrator of the Environmental Protection Agency (EPA) EPA.

302.2 **Stabilization Limitations:**

A visible crust shall be implemented, as determined by Appendix C, Section 2.3 a. (Test Methods For Stabilization-Visible Crust Determination) (The Drop Ball/Steel Ball Test) of these rules; or

- A threshold friction velocity (TFV), corrected for non-erodible elements of 100 b. cm/second or higher, shall be implemented, as determined by Appendix C, Section 2.4 (Test Methods For Stabilization-Determination Of Threshold Friction Velocity (TFV)) (Sieving Field Procedure) of these rules; or
- Flat vegetative cover (i.e., attached (rooted) vegetation or unattached vegetative c. debris lying on the surface with a predominant horizontal orientation that is not subject to movement by wind) that is equal to at least 50% shall be implemented, as determined by Appendix C, Section 2.5 (Test Methods For Stabilization-Determination Of Flat Vegetative Cover) of these rules; or
- d. Standing vegetative cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) that is equal to or greater than 30% shall be implemented, as determined by Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules; or
- e. Standing vegetative cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) that is equal to or greater than 10% and where the threshold friction velocity is equal to or greater than 43 cm/second when corrected for non-erodible elements shall be implemented, as determined by Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules; or
- f. A percent cover that is equal to or greater than 10% for non-erodible elements shall be implemented, as determined by Appendix C, Section 2.7 (Test Methods For Stabilization-Rock Test Method) of these rules; or
- An alternative test method approved in writing by the Control Officer and the g. Administrator of the EPA shall be implemented.
- 303 UNPAVED PARKING LOTS: The owner and/or operator of an unpaved parking lot shall implement one of the control measures described in subsection 303.1 Section 303.2 of this rule on any surface area(s) of the lot on which vehicles and enter and park. For the purpose of this rule, the owner and/or operator of an unpaved parking lot on which vehicles are parked no more than 35 days per year, excluding days on which ten or fewer vehicles enter, shall implement either the control measure described in subsection 303.1(b) or subsection 303.1(c) below for the duration of

time that over 100 vehicles enter and/or park on such unpaved parking lot. In addition, for the purpose of this rule, such control measures shall be considered effectively implemented when the unpaved parking lot meets the stabilization limitation described in subsection 303.2 of this rule. If the chosen control measure proves to be ineffective, then the owner and/or operator shall implement as a contingency control measure another one of the control measures described in Section 303.2 of this rule.

- 303.1 The owner and/or operator of an unpaved parking lot shall implement one of the control measures described in Section 303.2(b) or Section 303.2(c) of this rule on any unpaved parking lot that meets both of the criteria of this subsection. The control measure shall be implemented such that the surface area(s) on which vehicles enter and park is/are stabilized throughout the duration of time that vehicles are parked.
 - Vehicles are parked on unpaved parking lot less than 35 days a year, excluding <u>a.</u> days in which 10 or fewer vehicles enter; and
 - Over 100 vehicles enter the unpaved parking lot. <u>b.</u>

303.1 303.2 **Control Measures:**

- a. Pave.
- b. Apply dust suppressants, in compliance with the stabilization limitation described in subsection 303.2 Section 303.3 of this rule.
- Uniformly apply and maintain surface gravel, in compliance with the c. stabilization limitation described in subsection 303.2 Section 303.3 of this rule.
- 303.2 Stabilization Limitation: For the purpose of this rule, control measures shall be 303.3 considered effectively implemented when stabilization observations for fugitive dust emissions from unpaved parking lots do not exceed 20% opacity and do not equal or exceed 0.33 oz/ft² silt loading, or do not exceed 8% silt content, as determined by Appendix C, Section 2.1 (Test Methods For Stabilization-For Unpaved Roads And Unpaved Parking Lots) of these rules.
- 304 UNPAVED ROADWAYS (INCLUDING ALLEYS): If a person allows 150 vehicles or more per day to use an unpaved roadway (including alleys) in the \underline{PM}_{10} nonattainment area, then such person

shall first implement one of the best available control measures described in subsection Section 304.1 of this rule. Existing unpaved roadways (including alleys) with vehicular traffic of 250 vehicles or more per day must be stabilized by one of the best available control measures described in subsection 304.1 of this rule by June 10, 2000. Existing unpaved roadways (including alleys) with vehicular traffic of 150 vehicles or more per day must be stabilized by one of the best available control measures described in subsection 304.1 of this rule by June 10, 2004. For the purpose of this rule, the best available control measures measure shall be considered effectively implemented when the unpaved roadway (including alleys) complies with subsection 304.3 meets the stabilization limitation described in Section 304.2 of this rule. If the chosen best available control measure proves to be ineffective, then such person shall implement as a contingency best available control measure another one of the best available control measures described in Section 304.1 of this rule.

304.1 **Best Available Control Measures:**

- Pave. a.
- b. Apply dust suppressants, in compliance with the stabilization limitation described in subsection Section 304.3 of this rule.
- c. Uniformly apply and maintain surface gravel, in compliance with the stabilization limitation described in subsection Section 304.3 of this rule.
- 304.2 Implementation Of Best Available Control Measures: For the purpose of this rule, best available control measures shall be considered effectively implemented, under the following conditions:
 - The unpaved roadway (including alleys) meets the stabilization limitation a. described in subsection 304.3 of this rule; and, where applicable,
 - b. Existing unpaved roadways (including alleys) are stabilized according to the following schedule:
 - (1) Roadways with vehicular traffic of 250 vehicles or more per day are stabilized by June 10, 2000.

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

- (2) Roadways with vehicular traffic of 150 vehicles or more per day are stabilized by June 10, 2004.
- 304.3 Stabilization Limitation: For the purpose of this rule, control measures shall be considered effectively implemented when stabilization observations for fugitive dust emissions from unpaved roadways (including alleys) do not exceed 20% opacity and do not equal or exceed 0.33 oz/ft² silt loading, or do not exceed 6% silt content, as determined by Appendix C, Section 2.1 (Test Methods For Stabilization-For Unpaved Roads And Unpaved Parking Lots) of these rules.
- 305 COMMERCIAL FEEDLOTS AND/OR COMMERCIAL LIVESTOCK AREAS: The owner and/or operator of any commercial feedlot and/or commercial livestock area shall implement one of the control measures described in subsection Section 305.1 of this rule. If the chosen control measure proves to be ineffective, then the owner and/or operator shall implement as a contingency control measure another one of the control measures described in Section 305.1 of this rule.

305.1 Control Measures:

- **a.** Apply dust suppressants, in compliance with the stabilization limitation described in subsection Section 305.2 of this rule.
- **b.** Uniformly apply and maintain surface gravel, in compliance with the stabilization limitation described in subsection Section 305.2 of this rule.
- c. Install shrubs and/or trees within 50 feet to 100 feet of animal pens, in compliance with the stabilization limitation described in subsection Section 305.2 of this rule.
- 305.2 Stabilization Limitation: No fugitive dust plume emanating from commercial feedlots and/or commercial livestock areas shall exceed 20% opacity, as determined by Appendix C, Section 3 (Visual Determination Of Opacity Of Emissions From Sources For Time-Average Regulations) of these rules.
- 306 EROSION-CAUSED DEPOSITION OF BULK MATERIALS ONTO PAVED SURFACES: In the event that erosion-caused deposition of bulk materials or other materials occurs on any adjacent paved roadway or paved parking lot, the owner and/or operator of the property from which the deposition eroded shall implement both of the control measures described in subsection Section 306.1

of this rule. Such control measures shall be considered effectively implemented when the deposition meets the stabilization limitation described in subsection Section 306.2 of this rule. Exceedances of the opacity limit, due to erosion-caused deposition of bulk materials onto paved surfaces, shall constitute a violation of the opacity limit.

306.1 **Control Measures:**

- a. Remove any and all such deposits by utilizing the appropriate control measures within 24 hours of the deposits' identification or prior to the resumption of traffic on pavement, where the pavement area has been closed to traffic; and
- b. Dispose of deposits in such a manner so as not to cause another source of fugitive dust.
- 306.2 Stabilization Limitation: For the purpose of this rule, control measures shall be considered effectively implemented when stabilization observations for fugitive dust emissions from erosion-caused deposition of bulk materials onto paved surfaces do not exceed 20% opacity, as described in Appendix C, Section 2.1 (Test Methods For Stabilization-For Unpaved Roads And Unpaved Parking Lots) of these rules.
- **ROADS** 307 EASEMENTS, RIGHTS-OF-WAY, AND ACCESS **FOR UTILITIES** (ELECTRICITY, NATURAL GAS, OIL, WATER, AND GAS TRANSMISSION): If a person allows 150 vehicles or more per day to use an easement, right-of-way, and access road for utilities (electricity, natural gas, oil, water, and gas transmission) in the \underline{PM}_{10} nonattainment area, then such person shall first implement one of the control measures described in subsection Section 307.1 of this rule. For the purpose of this rule, the control measures measure shall be considered effectively implemented, when the easement, right-of-way, and access road for utilities (electricity, natural gas, oil, water, and gas transmission) complies with subsection 307.2 meets the stabilization limitation described in Section 307.2 of this rule. If the chosen control measure proves to be ineffective, then such person shall implement as a contingency control measure another one of the control measures described in Section 307.1 of this rule.

307.1 **Control Measures:**

Pave. a.

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

- b. Apply dust suppressants, in compliance with the stabilization limitation described in subsection Section 307.2 of this rule.
- Uniformly apply and maintain surface gravel, in compliance with the c. stabilization limitation described in subsection Section 307.2 of this rule.
- 307.2 Stabilization Limitation: For the purpose of this rule, control measures shall be considered effectively implemented when stabilization observations for fugitive dust emissions from easements, rights-of-way, and access roads for utilities (electricity, natural gas, oil, water, and gas transmission) do not exceed 20% opacity and do not equal or exceed 0.33 oz/ft² silt loading, or do not exceed 6% silt content, as determined by Appendix C, Section 2.1 (Test Methods For Stabilization-For Unpaved Roads And Unpaved Parking Lots) of these rules.

SECTION 400 - ADMINISTRATIVE REQUIREMENTS (NOT APPLICABLE)

SECTION 500 - MONITORING AND RECORDS

501 STABILIZATION OBSERVATIONS:

- 501.1 Stabilization observations for unpaved parking lots and/or unpaved roadways (including alleys) shall be conducted in accordance with Appendix C, Section 2.1 (Test Methods For Stabilization-For Unpaved Roads And Unpaved Parking Lots) of these rules.
- 501.2 Stabilization observations for an open area and vacant lot shall be conducted in accordance with the following:
 - a. Appendix C, Section 2.3 (Test Methods For Stabilization-Visible Crust Determination) (The Drop Ball/Steel Ball Test) of these rules; or
 - b. Appendix C, Section 2.4 (Test Methods For Stabilization-Determination Of Threshold Friction Velocity (TFV)) (Sieving Field Procedure) of these rules, where the threshold friction velocity (TFV) for disturbed surface areas corrected for nonerodible elements is 100 cm/second or higher; or
 - Appendix C, Section 2.5 (Test Methods For Stabilization-Determination Of Flat c. Vegetative Cover) of these rules, where flat vegetation cover (i.e., attached (rooted)

Contact Johanna M. Kuspert At 602-506-3476 Or By E-Mail At jkuspert@mail.maricopa.gov

vegetation or unattached vegetative debris lying on the surface with a predominant horizontal orientation that is not subject to movement by wind) is equal to at least 50%; or

- **d.** Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules, where standing vegetation cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) is equal to or greater than 30%; or
- e. Appendix C, Section 2.6 (Test Methods For Stabilization-Determination Of Standing Vegetative Cover) of these rules, where the standing vegetation cover (i.e., vegetation that is attached (rooted) with a predominant vertical orientation) is equal to or greater than 10% and where the threshold friction velocity, corrected for non-erodible elements, is equal to or greater than 43 cm/second; or
- **f.** Appendix C, Section 2.7 (Test Methods For Stabilization-Rock Test Method) of these rules where a percent cover is equal to or greater than 10% for non-erodible elements.
- **g.** An alternative test method approved in writing by the Control Officer and the Administrator of the EPA.
- RECORDKEEPING: Any person subject to the requirements of this rule shall compile and retain records that provide evidence of control measure application (i.e., receipts and/or purchase records). The records should Such person shall describe, in the records, the type of treatment or control measure, extent of coverage, and date applied. Upon verbal or written request by the Control Officer, such person shall provide the records and supporting documentation shall be provided within 48 hours, excluding weekends. If the Control Officer is at the site where requested records are kept, records shall be provided such person shall provide the records without delay.
- **RECORDS RETENTION:** Copies of the records required by Section 502 (Recordkeeping) of this rule shall be retained for at least one year.